

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	150	(password\$2 (pass adj word\$2)) same ((hard difficult) near6 (recogniz\$4 detect\$4 perceiv\$4 discern\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:48
L2	124	1 and (display\$4 same (password\$2 (pass adj word\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:48
L3	13	2 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:53
L4	111	2 not 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:58
L5	311	(redact\$4 mask\$4) near5 (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:00
L6	1006	(redact\$4 mask\$4) same (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:00
L7	158	6 and (display\$4 same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:42
L8	5	(signature\$2 pin privilege confidential (secur\$4 near4 (data information))) near5 display\$4 near5 ((dotted broken) near3 line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:52
L9	274	(signature\$2 pin privilege confidential (secur\$4 near4 (data information))) same display\$4 same ((dotted broken) near3 line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 11:10
L10	269	9 not 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 10:52
L11	204	10 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 11:12
L12	65	10 not 11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 11:05

L13	2516	(signature\$2 pin privilege confidential (secur\$4 near4 (data information)) password\$2 (pass adj word\$2)) same display\$4 same (colour\$2 color\$2 darken background\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 11:12
L14	1551	13 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 11:12
L15	215	(signature\$2 pin privilege confidential (secur\$4 near4 (data information)) password\$2 (pass adj word\$2)) near7 display\$4 near7 (colour\$2 color\$2 darken background\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 13:23
L16	1	"6757826".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 13:23
L17	1	16 and time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 13:24
L18	1	"6209102".pn. and time	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 13:25
S1	161	display\$4 same signature\$2 same background\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:50
S2	90	S1 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:49
S3	441	display\$4 same signature\$2 same (background\$2 color\$2 colour\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:50
S4	351	S3 not S2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:56
S5	153	S4 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:57

S6	109	input near4 hand\$8 near5 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 09:58
S7	64	(input near4 hand\$8 near5 signature\$2) and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 13:30
S8	113	(hand\$8 near3 signature\$2) same (password\$2 (pass adj word\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/28 10:21
S9	42	((hand\$8 near3 signature\$2) same (password\$2 (pass adj word\$2))) and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/28 10:21
S10	110	input near4 hand\$8 near5 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 13:30
S11	64	(input near4 hand\$8 near5 signature\$2) and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:49
S12	742	715/526,528,534,541.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 13:45
S13	2280	382/181,187.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 13:45
S14	4161	signature\$2 near5 (scramb\$4 encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 15:04
S15	1616	(signature\$2 near5 (scramb\$4 encrypt\$4)) and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 15:05
S16	123	((signature\$2 near5 (scramb\$4 encrypt\$4)) and @ad<"20000623" ) and (difficult near6 (discern\$4 recogniz\$4 detect\$4 perceiv\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 15:06
S17	122	((signature\$2 near5 (scramb\$4 encrypt\$4)) and @ad<"20000623" ) and (difficult near6 (discern\$4 recogniz\$4 detect\$4 perceiv\$4))) not ((input near4 hand\$8 near5 signature\$2) and @ad<"20000623" )	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 15:29

S18	10	((signature\$2 near5 (scramb\$4 encrypt\$4)) and @ad<"20000623" ) and (display\$4 same signature\$2 same color\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/10 16:32
S33	155	(document and redact\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 09:58
S34	16	S33 and (digital same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:55
S35	260	document\$1 and ((mask\$3 redact\$4) same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 09:59
S36	0	redact\$4 same handwrit\$4 same signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 09:59
S37	9	redact\$4 same signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:33
S38	36	((redact\$4 mask\$4) same (signature\$2 same name\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:38
S39	1006	(redact\$4 mask\$4) same (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:01
S40	465173	(redact\$4 mask\$4) near5\ (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:11
S41	311	(redact\$4 mask\$4) near5 (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:59
S42	191	S41 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:31
S43	33	S42 and (display\$4 same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:04

S44	620	S39 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:44
S45	587	S44 not S43	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:12
S46	80	S45 and (display\$4 same (signature\$2 handwrit\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:13
S47	4389	((digital handwrit\$4) near4 signature\$2) same (re-dact\$4 redact\$4 mask\$4 encrypt\$4 en-crypt\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 10:58
S48	3	((((digital handwrit\$4) near4 signature\$2) same (re-dact\$4 redact\$4 mask\$4 encrypt\$4 en-crypt\$4)) same ((hard difficult) near6 (recogniz\$4 detect\$4 perceiv\$4 discern\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:00
S49	15	((digital handwrit\$4) near4 signature\$2) same ((hard difficult) near6 (recogniz\$4 detect\$4 perceiv\$4 discern\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/14 09:47
S50	268	((((digital handwrit\$4) near4 signature\$2) signature\$2) same ((hard difficult) near6 (recogniz\$4 detect\$4 perceiv\$4 discern\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:01
S51	141	S50 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 12:37
S52	23	opaque near5 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:44
S53	137	display\$4 near5 (digital near3 signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:44
S54	53	S53 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:16
S55	240	hidden near4 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 11:53

S56	111	S55 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:07
S57	1117	713/176.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 12:31
S58	163	S57 and (display\$4 same signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 12:37
S59	79	S58 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:04
S60	1	signature\$2 near5 display\$4 near6 (broken adj line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:06
S61	1	signature\$2 near5 (non-display\$4 nondisplay\$4 ('not' near4 display\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:07
S62	613	signature\$2 near5 cover\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:15
S63	407	S62 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:08
S64	89	S63 and (signature\$2 same cover\$4 same (ink\$2 color\$2 colour\$2 background\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:11
S65	31	S64 and (invisible non-display\$4 mask\$4 redact\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:11
S66	108	(signature\$2 same (broken near3 line\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:32
S67	93	S66 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:32

S68	29844	((image\$2 sign\$2) same (broken near3 line\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:34
S69	23607	S68 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:32
S70	5758	S69 and ((image\$2 sign\$2) near5 (broken near3 line\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:34
S71	141	S35 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:42
S72	510	715/526,528.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:41
S73	32	S72 and (signature\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:42
S74	22	S73 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:53
S75	210	signature\$2 same (dotted adj line\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 15:52
S76	161	S75 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:51
S77	157	S76 not S67	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:07
S78	1	signature\$2 near3 darken	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:07
S79	1	"5581682".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:32

S80	0	(redact\$4 mask\$4) near5 (signed near3 name\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:38
S81	3	(redact\$4 mask\$4) same (signed near3 name\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:39
S82	455	(redact\$4 mask\$4) same (confidential privileg\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:41
S83	267	S82 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:51
S84	1120	display\$4 near3 signature\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:51
S85	664	S84 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 17:09
S86	20	S85 and ((block\$2 grayed) near3 out)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 16:55
S87	130	S85 and (redact\$4 mask\$4 highlight\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 17:08
S88	183	(password\$2 (pass adj word\$2)) near4 (redact\$4 mask\$4 darken)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 17:08
S89	37	S88 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 17:13
S90	3671	display\$4 near5 (password\$2 (pass adj word\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/12 17:14